

## - Specification Sheet 2019 Program

| Item Code<br>Cust. Item Code | Item Description                  | Gross<br>Wgt | Package<br>Dimensions | Pkg<br>Cube              | Pallet<br>Wgt | Unit/<br>Pallet | Pallet/<br>TL | Unit/ TL        | Tie x<br>High | UPC             | I 2 of 5          | Truckload<br>Weight |
|------------------------------|-----------------------------------|--------------|-----------------------|--------------------------|---------------|-----------------|---------------|-----------------|---------------|-----------------|-------------------|---------------------|
| CL.LOMSXCB.P.64<br>NA        | 1/4g CR LOW ODOR MS<br>SAFER CARB | 12.8         | 11 x 7.5 x 8.5        | 0.4058<br>15972<br>22222 | 1322          | 100<br>(600)    | 29            | 2900<br>(17400) | 20 x 5        | 0-23857-73142-2 | 600-23857-73142-4 | 38344               |
| CL.LVBR...M..64<br>NA        | 1/4g CRLV BRUSH CLEANER           | 11.9         | 9.75 x 7.75 x 8       | 0.35                     | 1472          | 120<br>(720)    | 33            | 3960<br>(23760) | 24 x 5        | 0-23857-72742-5 | 600-23857-72742-7 | 48586               |
| CL.LVLT...M..05<br>NA        | 5g CRLV LACQUER THINNER           | 37.2         | 11 x 11 x 13.88       | 0.97                     | 932           | 24              | 46            | 1104            | 12 x 2        | 0-23857-72351-9 | 100-23857-72351-6 | 42867               |
| CL.LVLT...M..41<br>NA        | 1g CRLV LACQUER THINNER           | 31.4         | 13.5 x 8.5 x 10.75    | 0.71                     | 1451          | 45<br>(180)     | 29            | 1305<br>(5220)  | 15 x 3        | 0-23857-72311-3 | 400-23857-72311-1 | 42084               |
| CL.LVLT...M..55<br>NA        | 53g CRLV LACQUER<br>THINNER       | 393.7        | 24 x 24 x 34.5        | 11.5                     | 1615          | 4               | 24            | 96              | 4 x 1         | 0-23857-72391-5 | n/a               | 38756               |
| CL.LVLT...M..64<br>NA        | 1/4g CRLV LACQUER<br>THINNER      | 12.7         | 9.75 x 7.75 x 8       | 0.35                     | 1562          | 120<br>(720)    | 33            | 3960<br>(23760) | 24 x 5        | 0-23857-72341-0 | 600-23857-72341-2 | 51558               |
| CL.LVLTSW.M..41<br>NA        | 1g CRLV LACQUER<br>THINNER - SW   | 31.9         | 13.5 x 8.5 x 10.75    | 0.71                     | 997           | 30<br>(120)     | 41            | 1230<br>(4920)  | 10 x 3        | 0-23857-72311-3 | 400-23857-72311-1 | 40892               |
| CL.LVLTSW.M..64<br>NA        | 1/4g CRLV LACQUER<br>THINNER - SW | 12.7         | 9.75 x 7.75 x 8       | 0.35                     | 852           | 64<br>(384)     | 47            | 3008<br>(18048) | 16 x 4        | 0-23857-72341-0 | 600-23857-72341-2 | 40040               |
| CL.LVMSSCB.M.41<br>NA        | 1g CRLV MIN SPIRITS SUB<br>(CARB) | 32.6         | 13.5 x 8.5 x 10.75    | 0.71                     | 1509          | 45<br>(180)     | 30            | 1350<br>(5400)  | 15 x 3        | 0-23857-73911-4 | 400-23857-73911-2 | 45266               |
| CL.LVMSSCB.M.64<br>NA        | 1/4g CRLV MIN SPIRIT SUB<br>CARB  | 13.1         | 9.75 x 7.75 x 8       | 0.35                     | 1616          | 120<br>(720)    | 31            | 3720<br>(22320) | 24 x 5        | 0-23857-73941-1 | 600-23857-73941-3 | 50094               |
| CL.LVPRCSW.M.41<br>NA        | 1g CRLV PRO CLEANUP -<br>SW       | 29.9         | 13.5 x 8.5 x 10.75    | 0.71                     | 937           | 30<br>(120)     | 42            | 1260<br>(5040)  | 10 x 3        | 0-23857-72911-5 | 400-23857-72911-3 | 39352               |

## - Specification Sheet 2019 Program

| Item Code<br>Cust. Item Code | Item Description                   | Gross<br>Wgt | Package<br>Dimensions | Pkg<br>Cube | Pallet<br>Wgt | Unit/<br>Pallet | Pallet/<br>TL | Unit/ TL        | Tie x<br>High | UPC             | I 2 of 5          | Truckload<br>Weight |
|------------------------------|------------------------------------|--------------|-----------------------|-------------|---------------|-----------------|---------------|-----------------|---------------|-----------------|-------------------|---------------------|
| CL.LVPRCSW.M.64<br>NA        | 1/4g CRLV PRO CLEANUP -<br>SW      | 11.9         | 9.75 x 7.75 x 8       | 0.35        | 803           | 64<br>(384)     | 48            | 3072<br>(18432) | 16 x 4        | 0-23857-72741-8 | 600-23857-72741-0 | 38527               |
| CL.LVPRCU.M..41<br>NA        | 1g CRLV PRO CLEANUP                | 29.9         | 13.5 x 8.5 x 10.75    | 0.71        | 1386          | 45<br>(180)     | 30            | 1350<br>(5400)  | 15 x 3        | 0-23857-72711-1 | 400-23857-72711-9 | 41580               |
| CL.LVPRCU.M..64<br>NA        | 1/4g CRLV PRO CLEANUP              | 11.9         | 9.75 x 7.75 x 8       | 0.35        | 1472          | 120<br>(720)    | 33            | 3960<br>(23760) | 24 x 5        | 0-23857-72741-8 | 600-23857-72741-0 | 48586               |
| CL.LVPRFCB.M.41<br>NA        | 1g CRLV PRO FLUSH (CARB)           | 32.7         | 13.5 x 8.5 x 10.75    | 0.71        | 1510          | 45<br>(180)     | 30            | 1350<br>(5400)  | 15 x 3        | 0-23857-72911-5 | 400-23857-72911-3 | 45301               |
| CL.LVPRFSW.M.41<br>NA        | 1g CRLV PRO FLUSH - SW             | 32.7         | 13.5 x 8.5 x 10.75    | 0.71        | 1020          | 30<br>(120)     | 42            | 1260<br>(5040)  | 10 x 3        | 0-23857-72911-5 | 400-23857-72911-3 | 42841               |
| CL.LVPTSCB.M.41<br>NA        | 1g CRLV PAINTTHIN SUB<br>CARB      | 32.6         | 13.5 x 8.5 x 10.75    | 0.71        | 1509          | 45<br>(180)     | 30            | 1350<br>(5400)  | 15 x 3        | 0-23857-75811-5 | 400-23857-75811-3 | 45266               |
| CL.LVPTSCB.M.64<br>NA        | 1/4g CRLV PAINT THIN SUB<br>CARB   | 11.7         | 9.75 x 7.75 x 8       | 0.35        | 1445          | 120<br>(720)    | 31            | 3720<br>(22320) | 24 x 5        | 0-23857-75841-2 | 600-23857-75841-4 | 44781               |
| CL.LVPTSSC.M.41<br>NA        | 1g CRLV PAINT THINNER<br>SUB SC    | 33.2         | 13.5 x 8.5 x 10.75    | 0.71        | 1533          | 45<br>(180)     | 30            | 1350<br>(5400)  | 15 x 3        | 0-23857-75711-8 | 400-23857-75711-6 | 45995               |
| CL.LVPTSSC.M.64<br>NA        | 1/4g CRLV PAINT THIN SUB<br>SC     | 11.7         | 9.75 x 7.75 x 8       | 0.35        | 1445          | 120<br>(720)    | 31            | 3720<br>(22320) | 24 x 5        | 0-23857-75741-5 | 600-23857-75741-7 | 44781               |
| CL.MSSCB...P.41<br>NA        | 1g CRLV MIN SPIRITS SUB<br>CARB    | 31.0         | 14.81 x 10.25 x 11    | 0.96        | 1155          | 36<br>(144)     | 24            | 864<br>(3456)   | 12 x 3        | 0-23857-73912-1 | 400-23857-73912-9 | 27719               |
| CL.MSSCBSW.M.41<br>NA        | 1g CRLV MIN SPIRITS SUB<br>CARB SW | 28.2         |                       |             | 886           | 30<br>(120)     |               | ()              | 10 x 3        |                 |                   |                     |

## - Specification Sheet 2019 Program

| Item Code<br>Cust. Item Code | Item Description                   | Gross<br>Wgt | Package<br>Dimensions | Pkg<br>Cube | Pallet<br>Wgt | Unit/<br>Pallet | Pallet/<br>TL | Unit/ TL        | Tie x<br>High | UPC             | I 2 of 5          | Truckload<br>Weight |
|------------------------------|------------------------------------|--------------|-----------------------|-------------|---------------|-----------------|---------------|-----------------|---------------|-----------------|-------------------|---------------------|
| CL.MSSCBSW.M.64<br>NA        | 1/4g CRLV MIN SPRT SUB<br>CARB SW  | 10.6         |                       |             | 717           | 64<br>(384)     |               | ()              | 16 x 4        |                 |                   |                     |
| CL.MSSCBSW.P.41<br>NA        | 1g CRLV MIN SPIRITS SUB<br>CARB SW | 31.0         | 14.81 x 10.25 x 11    | 0.96        | 783           | 24<br>(96)      | 56            | 1344<br>(5376)  | 8 x 3         | 0-23857-73912-1 | 400-23857-73912-9 | 43865               |
| CL.PRTM25.M..05<br>NA        | 5g CRLV PRO THINNER<br>MED <25     | 38.1         | 11 x 11 x 13.88       | 0.97        | 955           | 24              | 46            | 1104            | 12 x 2        | 0-23857-75551-0 | n/a               | 43921               |
| CL.PRTM25.M..41<br>NA        | 1g CRLV PRO THINNER<br>MED <25     | 32.7         | 13.5 x 8.5 x 10.75    | 0.71        | 1510          | 45<br>(180)     | 30            | 1350<br>(5400)  | 15 x 3        | 0-23857-75511-4 | 400-23857-75511-2 | 45294               |
| CL.PRTM25.M..64<br>NA        | 1/4g CRLV PRO THINNER<br>MED <25   | 13.0         | 9.75 x 7.75 x 8       | 0.35        | 1594          | 120<br>(720)    | 31            | 3720<br>(22320) | 24 x 5        | 0-23857-75541-1 | 600-23857-75541-3 | 49424               |
| CL.PRTMSW.M..41<br>NA        | 1g CRLV PRO THINNER - SW           | 32.7         | 13.5 x 8.5 x 10.75    | 0.71        | 1020          | 30<br>(120)     | 40            | 1200<br>(4800)  | 10 x 3        | 0-23857-75511-4 | 400-23857-75511-2 | 40810               |
| CL.PRTMSW.M..64<br>NA        | 1/4g CRLV PRO THINNER -<br>SW      | 13.0         | 9.75 x 7.75 x 8       | 0.35        | 870           | 64<br>(384)     | 46            | 2944<br>(17664) | 16 x 4        | 0-23857-75541-1 | 600-23857-75541-3 | 40030               |
| CL.PTSCB...M.05<br>NA        | 5g CRLV PAINT THIN SUB<br>(CARB)   | 38.8         |                       |             |               |                 |               |                 | x             | 023857758511    | 100-23857758518   |                     |
| CL.PTSCB...P.25<br>NA        | 2.5g CRLV PAINTTHIN SUB<br>CARB    | 38.6         | 15.13 x 9.75 x 15.63  | 1.33        | 966           | 24<br>(48)      | 48            | 1152<br>(2304)  | 12 x 2        | 0-23857-75832-0 | 200-23857-75832-4 | 46381               |
| CL.PTSCB...P.41<br>NA        | 1g CRLV PAINTTHIN SUB<br>CARB      | 31.0         | 14.81 x 10.25 x 11    | 0.96        | 1155          | 36<br>(144)     | 24            | 864<br>(3456)   | 12 x 3        | 0-23857-75812-2 | 400-23857-75812-0 | 27719               |
| CL.PTSCB...M..55<br>NA       | 53g CRLV PAINT THIN SUB<br>(CARB)  | 394.1        |                       |             | 1616          | 4               |               |                 | 4 x 1         | 0-23857-75891-7 |                   |                     |

## - Specification Sheet 2019 Program

| Item Code<br>Cust. Item Code | Item Description                  | Gross<br>Wgt | Package<br>Dimensions | Pkg<br>Cube | Pallet<br>Wgt | Unit/<br>Pallet | Pallet/<br>TL | Unit/ TL       | Tie x<br>High | UPC             | I 2 of 5          | Truckload<br>Weight |
|------------------------------|-----------------------------------|--------------|-----------------------|-------------|---------------|-----------------|---------------|----------------|---------------|-----------------|-------------------|---------------------|
| CL.PTSCBSW.M.41<br>NA        | 1g CRLV PAINTTHIN SUB<br>CARB SW  | 28.2         |                       |             | 886           | 30<br>(120)     |               | ()             | 10 x 3        |                 |                   |                     |
| CL.PTSCBSW.M.64<br>NA        | 1/4g CRLV PNT THIN SUB<br>CARB SW | 10.6         |                       |             | 717           | 64<br>(384)     |               | ()             | 16 x 4        |                 |                   |                     |
| CL.PTSCBSW.P.41<br>NA        | 1g CRLV PAINTTHIN SUB<br>CARB SW  | 31.0         | 14.81 x 10.25 x 11    | 0.96        | 783           | 24<br>(96)      | 56            | 1344<br>(5376) | 8 x 3         | 0-23857-75812-2 | 400-23857-75812-0 | 43865               |
| CL.PTSSC..M..05<br>NA        | 5g CRLV PAINT THIN SUB<br>SCAQMD  | 38.1         | 11 x 11 x 13.88       | 0.97        | 955           | 24              | 46            | 1104           | 12 x 2        | 0-23857-75751-4 | n/a               | 43921               |
| CL.PTSSCSW.M.41<br>NA        | 1g CRLV XS PT SUB (SC) SW         | 33.2         | 13.5 x 8.5 x 10.75    | 0.71        | 1035          | 30<br>(120)     | 40            | 1200<br>(4800) | 10 x 3        | 0-23857-75711-8 | 400-23857-75711-6 | 41417               |